

Subject index

A

abbreviating commands 27
adopath command 43
AIC statistic see measures of fit,
 information criteria
Akaike information criterion
 see measures of fit,
 information criteria
alternative-specific multinomial probit ..
 469
AME see marginal effects, average
 marginal effects
asclogit command 457
ASMNPM see alternative-specific
 multinomial probit
asmprobit command 469
asobserved option see **margins**
 command, options
assessed categories 445
atlegend option see **margins**
 command, options
atmeans option see **margins**
 command, options
atspec specification see **margins**
 command, options
average marginal effects .. see marginal
 effects
aweight modifier 100

B

base outcome see multinomial logit
 model
baseoutcome() option 395
Bayesian information criterion
 see measures of fit,
 information criteria

BIC statistic see measures of fit,
 information criteria
binary outcomes 187
binary regression models 187
 case-control studies 235
 comparing logit and probit models
 196, 207
dependent variable coding 193
estimation 192
exact estimation 85, 199
Hosmer-Lemeshow statistic ... 223
hypothesis testing 200-205
identification 189
interpretation, overview 227
latent-variable model 188
logit 189
marginal change in y^* 235
marginal effects 239-270
measures of fit 218-224
odds ratios 228
other models 225
predictions 206
 distribution of 207
 graphs 286-308
 ideal types 270-280
 tables 200-205, 280-284, 286
probability 189, 191, 192
probit 189
residuals and influential
 observations 209-218
biprobit command 225
BLM see binary regression models,
 logit
BPM see binary regression models,
 probit
brant command 330
BRM see binary regression models

browse command 25, 46

C

capture command 39

case-control, logit model 235

cd command 29

centile command 251

cformat option 321

clear all command 39, 110

CLM see conditional logit model

cloglog command 225

clonevar command 54

codebook command 50
compact option 47

coefficient of determination see measures of fit

coefficients

- factor change see factor change coefficients
- percentage change .. see percentage change coefficients
- standardized see standardized coefficients

coeflegend option 90, 117, 202

commands

- adopath** 43
- asclogit** 457
- asmprobit** 469
- biprobit** 225
- brant** 330
- browse** 25, 46
- capture** 39
- cd** 29
- centile** 251
- clear all** 39, 110
- cloglog** 225
- clonevar** 54
- codebook** 47, 50
- constraint** 381, 406
- countfit** 551
- datasignature** 40
- #delimit** 36
- describe** 50
- dir** 30
- display** 201

commands, *continued*

- do** 34
- dotplot** 49, 207, 340, 413
- drop** 51
- edit** 33
- egen** 54, 95
- ereturn list** 113, 165
- estat classification** 128
- estat gof** 223
- estat ic** 123, 131
- estat mfx** 458
- estat summarize** 109, 130
- estat vce** 131
- estimates** 107
- estimates describe** 111
- estimates esample** 109
- estimates restore** 108
- estimates save** 109
- estimates table** 111, 196
- estimates use** 109
- exit** 39
- exlogistic** 85, 199
- expoisson** 85
- fitstat** 120, 129
- foreach** 61
- forvalues** 61, 354, 431
- generate** 52
- global** 59
- gologit2** 372
- graph** 65
- graph combine** 361
- graph dir** 71
- graph display** 71
- graph export** 71
- graph matrix** 78
- graph use** 71
- help** 28, 46
- hetprobit** 225
- histogram** 263
- import sasxport** 33
- ivprobit** 225
- keep** 51
- label** 56
- label define** 57
- label value** 58

commands, *continued*

labelbook	58
leastlikely	217
lincom	165, 326
list	46
local	60
log	30
log close	31
logit	192
lookfor	57
lrtest	115, 118, 202, 204, 322, 323, 400, 402
ls	30
margins	139–162, 239, 426
marginsplot	171, 172, 290, 295
mark	94
markout	94
matlist	166
mchange	166
mchangeplot	346, 417
mgen	173
misschk	96
misstable	96
mlincom	165, 275, 354, 427
mlistat	148, 288, 426
mlogit	390
mlogitplot	439, 443
mlogtest	398
mprobit	465
mtable	155–162, 164, 423–431
mvprobit	225
nbreg	509
net install	16
notes	41, 50, 59
ocratio	381
ologit	314
oparallel	329
oprobit	314
outfile	33
poisson	488
predict	138, 206, 339
probit	192
putexcel	114
pwcompare	231
pwd	29

commands, *continued*

recode	55
replace	54
reshape	456
rologit	475
rowmiss	95
save	32
saveold	33
scobit	225
search	28
seqlogit	380, 381
set logtype	31
set scheme	68
set scrollbufsize	26
set seed	411
slogit	371, 448
spex	17
SPost	see SPost commands
stcox	476
suest	529
summarize	43, 47
svy	100, 107
svyset	101
tab1	49
tabulate	48, 87
test	115, 116, 201, 203, 321, 323, 401
testparm	117, 204, 323
tnbreg	521
tppoisson	521
trace	102
translate	32
twoway	63
twoway area	363
twoway connected	67, 175, 361
twoway rarea	292
twoway scatter	66
update	18
use	32
verinst	18
version	39
zinb	538
zip	538
commands for SPost	see SPost commands

- complex survey designs
 - see estimation, complex survey designs
- conditional logit model 454
 - case-specific variables 460
 - data arrangement 455
 - interpretation 458
- conditional predictions
 - zero-truncated models 524
- confidence intervals 103
 - overlapping 297
- constraint** command 381, 406
- continuation ratio model 378–382
- contrasts 231, 252
 - comparing predictions 168
- count outcomes 481
- count regression models 481
 - comparing 544
 - mean predicted probabilities 545
 - measures of fit 551
 - tests 547
 - Vuong test 548
- equidispersion 482, 509
- exact estimation 85
- exposure time 504
- gamma distribution 507
- hurdle regression model 527–535
 - estimation 528
 - predicted probabilities 533
 - predictions 531–535
- negative binomial distribution 508
- negative binomial regression 507–518
 - estimation 509
 - factor change 514
 - marginal effects 515
 - NB1 and NB2 509
 - plotting 518
 - testing overdispersion 511
- observed and predicted counts 484
- observed heterogeneity 507
- count regression models, *continued*
- overdispersion 482, 507, 509, 511
 - truncated models 520
- percentage change coefficients 491
- Poisson and negative binomial
 - models compared 512, 515, 516
- Poisson distribution 481
 - estimation 483
 - plotting 483, 486
- Poisson regression 487
 - estimation 488
 - factor change 490
 - incidence-rate ratio 489, 491
 - marginal effects 494
 - mgen**, **meanpred** command 501
 - observed and average predicted probabilities 501
 - observed heterogeneity 487
 - plotting 518
 - plotting probabilities 500
 - predicted probabilities 496
 - rate 490
- probabilities 516
- robust standard errors 514
- testing overdispersion 547
- truncated counts 518
- underdispersion 482
- unobserved heterogeneity 507
- zero-inflated models 535
 - estimation 538
 - factor change 540
 - latent groups 535
 - negative binomial 538
 - plotting probabilities 543
 - Poisson 538
 - predicted probabilities 541
- zero-truncated models
 - estimation 521
 - factor change 523
 - negative binomial 520
 - Poisson 519
 - predictions 524–526
- countfit** command 551
- cutpoints 310, 313

D

- data management 85
- datasets
 - converting formats 33
 - entry by hand 33
 - errors 34
 - non-Stata formats 33
 - saving 32, 79
 - size limitations 34
 - Stata format 32
 - using 32
- looking at data 46
- metadata 59
- missing values 46, 93–98, 193
 - extended 96
 - numerical ordering 50
- selecting observations 45, 51
- variable
 - checking transformations 76
 - creating 52–59
 - creating dummy 76, 87
 - creating ordinal 77
 - describing 50
 - interaction terms 89
 - labeling 56, 76
 - polynomials 90
 - recoding 55
 - selecting 51
 - selection variable 273
 - summary statistics 43
 - temporary variables 88
 - value labels 57, 92
 - variable lists 43
 - variable names 43
- variable labels 56
- workflow principles 40
- datasets see data management; datasets described
- datasets described
 - American National Election Study 392
 - class identification 315
 - General Social Survey class identification 315

datasets described, *continued*

- Health and Retirement Study 101
- labor force participation 194
- mode of travel 455, 461
- Mroz 194
- party affiliation 392
- scientific productivity of
 - biochemists 483
- Wisconsin Longitudinal Study
 - 477
- datasignature command 40
- #delimit command 36
- delta method 244
- describe command 50
- deviance see measures of fit
- dir command 30
- discrete change see marginal effects
- dispersion() option 509
- display command 201
- do command 34
- do-files 34–39
 - comments 35, 40
 - creating 37
 - delimiter 36
 - editor 37
 - long command lines 35, 36
 - other editors 38
 - stopping a do-file 37
 - syntax highlighting 37
 - template 38, 79
- dotplot command ... 49, 207, 340, 413
- drop command 51
- dydx() option see margins command, options

E

- e(sample) variable 99
- edit command 33
- egen command 54, 95
- equidispersion see count outcomes
- ereturn list command 113, 165
- ereturns 165
- error messages 28, 34
- errors, SPost commands 18

- estat**
- classification command.....128
 - commands.....130
 - gof command.....223
 - ic command.....123, 131
 - mfx command.....458
 - summarize command.....109, 130
 - vce command.....131
- estimates**
- command.....107
 - describe command.....111
 - esample command.....109
 - restore command.....108
 - save command.....109
 - table command.....111, 196
 - use command.....109
- estimation**.....84
- active estimates.....107
 - commands.....102
 - syntax.....86
 - variable lists.....87
 - complex survey designs....99, 100
 - copying results to other programs
 -114
 - e(sample) variable.....99
 - estimation sample.....93
 - postestimation.....98
 - exact.....85, 199
 - interaction terms.....89
 - maximum likelihood.....84–86
 - missing values.....93
 - output105–107
 - preserving active results.....108
 - problems.....85
 - robust standard errors103
 - sample size for ML estimation ..85
 - weights and survey data.....99
 - exit command39
 - exlogistic command85, 199
 - expoisson command85
 - exposure time.....see count regression models, exposure time
 - expressions() option....see margins command, options
- F**
- factor change coefficients.....179, 184
- binary logit model228
 - count regression models
 - negative binomial regression
 - model515
 - Poisson regression model....490
 - zero-inflated regression models..
 -541
 - zero-truncated regression models
 -524
 - multinomial logit model.....435
 - ordered logit model335
- factor-variable notation.....52, 87, 195
- test command.....323
 - allbase option196
 - average marginal effects.....251
 - base category88
 - default measurement assumptions
 -89, 163
 - discrete change.....163
 - interaction terms89, 146
 - marginal change163
 - polynomial terms.....90, 146
 - predictions without374
 - symbolic names90, 202
 - temporary variables88
- first difference see marginal effects, discrete change
- fitstat** command.....120, 129
- binary regression model220
 - ordinal regression model..324–325
- foreach** command.....61
- forvalues** command.....61, 354, 431
- fweight** modifier99
- G**
- gamma distribution.....see count regression
- models, gamma distribution
- generalized ordered logit model371
- generalized ordered regression model ..
 -328
- generate** command52
- mathematical functions.....53

- g**
global command 59
 global means see predictions
GOLM see generalized ordered logit model
gologit2 command 372
 goodness of fit see measures of fit
graph
combine command 361
 command 65
dir command 71
display command 71
export command 71
matrix command 78
use command 71
 graph types
 count distribution 483, 486
 cumulative probabilities .. 359, 362
 histogram 49
 index plot 212
 influential observation plot 216
 Lambert plot 547
 marginal effects distribution .. 263,
 264, 420, 422
 marginal effects plot 299, 346,
 351, 417
 observed and average predicted
 probabilities 503
 odds-ratio plot 436, 437, 439
 predicted probabilities distribution 207, 209, 340, 414
 probabilities ... 172, 175, 286, 287,
 289, 292, 359
 confidence intervals 292
 count models 500, 518, 543
 local means 307
 probabilities for multiple outcomes 295, 297, 361, 433
 overlapping CIs 298
 residual plot 212
 graphs 63–73
 area 363
 axes 69
 captions 72
 combining 72, 361
 confidence intervals 292
graphs, continued
 connected 67, 175, 361
 displaying 71
 dotplot 49, 207
 exporting 71
 file types 71
 histogram 263
 labeling data points 212
 marginsplot 172
 matrix 78
 menu 25, 63
mgen command 173
 multiple predictions 293–297
 odds ratios 436–444
 overlaying multiple plots 293
 overview 63–73
 plot options 67
 predictions 171
 printing 72
 probability 432
 rarea 292
 saving 70
 scatterplot 66
 schemes 68
 titles 68
 twoway 63
 grouped continuous regression model ..
 445
 grouped continuous variable 311
- H**
- help**
 contacting the authors 19
 getting help 18
help command 28, 46
hetprobit command 225
histogram command 263
HL statistic
 . see binary regression models,
 Hosmer–Lemeshow statistic
Hosmer–Lemeshow statistic see
 binary regression models,
 Hosmer–Lemeshow statistic
HRM see count regression models,
 hurdle regression model

HTML output 24, 113
 hurdle regression model see
 count regression models, hurdle regression model
 hypothesis testing see testing

I
 ideal types also see marginal effects, ideal types, see predictions, ideal types
if qualifier 45, 46, 51, 193, 254
IIA see multinomial logit model
import sasxport command 33
in qualifier 45, 51, 193
 incidence-rate ratio see count regression models
 independence of irrelevant alternatives .. see multinomial logit model
 indistinguishable outcomes see multinomial logit model
 influential observations 209
 Cook's distance 215
 delta-beta influence statistic...215
 information criteria....see measures of fit
 installing SPost see SPost13, installing
 interaction terms 89, 146, 241
 marginal effects 259
ivprobit command 225
iweight modifier 100

K
keep command 51

L
label
 command 56
 define command 57
 value command.....58
labelbook command 58
 latent-variable model 188, 310
LATEX output 113
 least likely observations 216

leastlikely command 217
level() option 102
 likelihood-ratio test see testing, likelihood-ratio test
lincom command 165, 326
 linear compared with nonlinear models 133
 linear probability model 192
 linear regression model 133
list command 46
listcoef command 178–184
 binary regression model 228
 count regression models
 negative binomial regression.... 514
 Poisson regression model....492
 zero-inflated models.....540
 zero-truncated models 523
 multinomial logit model .. 395, 435
 ordinal regression model..334, 336
 standardized coefficients.....182
 stereotype logistic regression model 451

local command 60
 local means see predictions
log close command 31
log command 30
 log files 30–32, 40, also see do-files
logit command 192
 logit defined 192
 logit model
 binary see binary regression models
 multinomial see multinomial logit model
 ordered see ordinal regression models
 rank-ordered see rank-ordered logit model
 stereotype .. see stereotype logistic regression model
lookfor command 57
 loops 61, 354, 431
 over all observations 420

LR test.....see testing, likelihood-ratio test
 LRM.....see linear regression model
lrtest command...115, 118, 202, 204, 322, 323, 400, 402
 combining alternatives 406
ls command.....30

M

m* commands see
 mchange command; **mgen** command; **mlincom** command;
 mlistat command; **mtable** command; SPost13
 compared with **margins** command 140

macros
 global 59
 local 59

marginal change... see marginal effects

marginal effects
 added to odds-ratio plot 443
 average marginal effects..144, 166, 243, 341, 416
 continuous variables 248
 factor variables 251
 interpretation 248, 252
 binary regression model .. 239–270
 choosing which measure to use.... 244
 comparing marginal and discrete changes 241
 contrasts.....168, 252
 count regression models
 negative binomial 515
 Poisson regression 493
 discrete change.....168
 distribution.....261–270, 420
 general procedures 265
 ideal types 278
 tests to compare 354
 interactions 241
 interactions and polynomials .. 259
 linked variables.....241, 259
 marginal change 168

marginal effects, *continued*
 marginal effects at representative values 243, 255
 marginal effects at the mean..142, 166, 243, 255, 341
margins command 163
mchange command 166
mtable command 164
 multinomial logit model .. 415–423
 ordinal regression model .. 341–351
 overview.....133, 135, 137, 162
 plotting 299
 mchangeplot command 417
 polynomials 241
 second differences 285, 426
 standard errors 244
 subgroups.....254
 summary measures 242
 summary table.....252
 testing equality of AMEs.....285
 marginal effects at representative values
 see marginal effects
 marginal effects at the mean see
 marginal effects
margins command 139–162, 239
 compared with **m*** commands..138, 140
if qualifier 152
in qualifier 152
 multiple predictions 146
 options
 (*atstat*) suboption 143
 asobserved.....144, 248
 at() 142, 147, 150, 152
 atlegend 142
 atmeans 142
 dydx() 163
 expression() 154
 gen() 267
 noatlegend 148
 outcome() 159
 over() 151, 152, 283, 430
 post 165, 426
 predict() ... 153, 159, 352, 426

- margins** command, options, *continued*
- pwcompare** 168, 277
 - varlist** 151
 - order of predictions 150
- marginsplot** command 171, 290, 295
- mark** command 94
- markout** command 94
- matlist** command 166
- maximum likelihood see estimation
- mchange** command 166,
 also see marginal effects
- binary regression model .. 246–248
 - centered versus uncentered 168
 - count regression models
 - negative binomial regression
 model 515
 - Poisson regression model ... 495,
 497
 - default marginal effects...167, 170
 - interactions 171
 - multinomial logit model.....416
 - options 168
 - amount()** 168
 - delta()** 169
 - statistics()** 169
 - trim()** 168
 - uncentered** 168
 - ordinal regression model 341
 - return matrix 262, 279
- mchangeplot** command 346, 417
- measures of fit 120–130
- binary regression model 218
 - count regression models 551
 - deviance 123
 - formula 123
 - information criteria..123, 124, 131
 - difference in BICs 124
 - LR chi-square test of all coefficients 123
 - multinomial logit model.....411
 - ordinal regression model..324–325
 - pseudo- R^2 126–128
 - ordinal regression model 325
 - R^2 126
- MEM see marginal effects, marginal effects at the mean
- MER....see marginal effects, marginal effects at representative values
- mgen** command 173
- binary regression model .. 286–308
 - count regression models
 - negative binomial regression
 model 517
 - Poisson regression model....500
 - zero-inflated models.....543
- default predictions 176
- multinomial logit model.....432
- naming generated variables....174
- options 178
- meanpred** 177, 485
 - predlabel()** 291
 - replace** 174
 - stub()** 174, 291
- ordinal regression model 359
- minimal set.....387
- misschk** command.....96
- missing data see data management,
 missing data
- missing values
- estimation commands.....93, 98
 - misstable command 96
- mlincom** command 165, 275, 354
- second differences 427
- mlistat** command 148, 288, 426
- mlogit** command 390
- mlogitplot** command 439
- adding marginal effects.....443
- mlogtest** command 398
- combining alternatives ... 403, 405
 - independence of irrelevant alternatives.....408
 - testing independent variables..399
- MNLM** see multinomial logit model
- MNPM** ... see multinomial probit model
- mprobit** command.....465
- mtable** command....155–162, 355–359
- binary regression model .. 270–284
 - categorical outcomes 158

- mtable** command, *continued*
- combining and formatting tables.. 160
 - conditional and unconditional probabilities..... 525
 - count outcomes 158
 - count regression models 497
 - hurdle regression model..... 533
 - negative binomial regression model 515
 - Poisson regression model... 497–499
 - zero-inflated models..... 541
 - zero-truncated models model... 525
 - labeling predictions 157
 - marginal effects..... 164
 - multinomial logit model .. 423–431
 - options
 - `atright` 353
 - `atvars()` 158, 162
 - `below` 164
 - `brief` 161
 - `clear` 270
 - `coleqnm()`..... 160
 - `decimal()`..... 159
 - `estname()`..... 157
 - `long`..... 498
 - `noesample`..... 534
 - `norownum`..... 162, 353
 - `norownumbers` 498
 - `over()` 357
 - `right` 161
 - `rowname()`..... 164
 - `statistics()`
 - `title()` 162
 - `width()` 353
 - ordinal regression model 351
 - stored results 275
 - multinomial logit model 386
 - `asclogit` command for estimation 462
 - base outcome..... 390, 391, 395
 - plotting..... 438
 - combining alternatives 403
 - multinomial logit model, *continued*
 - compared with binary logit model 389
 - compared with ordinal regression model 413, 433
 - estimation 390
 - formal statement of model 390
 - hypothesis testing 398–406
 - independence of irrelevant alternatives 407–411, 477
 - cautions 408
 - Hausman–McFadden test... 407, 408
 - Small–Hsiao test 407, 409
 - indistinguishable outcomes 403
 - interpretation, overview 411
 - introduction 386
 - marginal effects..... 415–423
 - distribution of 420
 - interpretation..... 418
 - measures of fit 411
 - minimal set 387
 - odds ratios..... 435
 - interpretation 435, 441
 - odds-ratio plot 436–444
 - marginal effects..... 443
 - plotting predictions 432
 - predicted probabilities 411–415
 - predictions
 - distribution of 414
 - graphs..... 417
 - table 423
 - probabilities 390
 - specification searches..... 398
 - testing independent variables.. 399
 - multinomial probit model..... 465
 - identification..... 467
 - with IIA..... 465
 - mvprobit** command 225

N

- NB1..... see count regression models,
negative binomial regression
- NB2..... see count regression models,
negative binomial regression

- n**
nbreg command 509
NBRM see count regression models,
 negative binomial regression
 negative binomial distribution see
 count regression
 models, negative binomial
 distribution
net install command 16
noconstant option 102
nofvlabel option 92
nolog option 102
 nominal outcomes 385
 nominal regression models 385
 alternative-specific multinomial
 probit 469
 conditional logit model 454
 multinomial logit model see
 multinomial logit model
 multinomial probit model
 with IIA 465
 stereotype logistic regression model
 445
 nonlinear compared with linear models
 133
 nonlinear models, overview 135
notes command 41, 50, 59
numlist 147
- O**
 observations completely determined ...
 ... see perfect prediction
ocratio command 381
 odds ratios 179
 binary logit model 228
 compared with marginal effects ...
 444
 confidence intervals 231
 interactions 336
 interactions and polynomials .. 229
 interpretation 229–235
 limitations 234
 multinomial logit model 435
 multiplicative coefficients 233
 ordered logit model 335
 plotting 436–444
- odds ratios, *continued*
 reversed ordering 338
 stereotype logistic regression model
 450
 odds-ratio plot see **mlogitplot**
 command
OLM see **ologit** command; ordinal
 regression models
ologit command 314
oparallel command 329
OPM ... see **oprobit** command; ordinal
 regression models
oprobit command 314
 ordered logit model see ordinal
 regression models
 ordered probit model see ordinal
 regression models
 ordered regression models .. see ordinal
 regression models
 ordinal outcomes 309
 ordinal regression models 309
 compared with multinomial logit
 model 413, 433
 continuation ratio model 378–382
 criteria for ordinal model 369
 cutpoints 310, 313
 estimation 314
 generalized ordered logit model ...
 371
 hypothesis testing 320–324
 identification 325
 interpretation, overview 331
 latent-variable model 310
 less common models 370
 logit and probit comparison ... 318
 marginal change in y^* 332
 marginal effects 341–351, 364
 summarizing 350
 measures of fit 324–325
 nonlinear probability model ... 314
 odds ratios 335
 ordered logit model 312
 ordered probit model 312

- ordinal regression models, *continued*
 parallel regression assumption 326
 caveats 331
predictions
 distribution of 340
 graphs 344, 359–364
 tables 355–359
rank-ordered logit model 475
sequential logit model 378–382
signs of effects 366
standardized coefficients.....332
stereotype logistic regression model 370
 transformed coefficients 332
ORM see ordinal regression models
outfile command 33
outliers 209, *see also* residuals
over() option *see also* **margins**
 command, options
overdispersion *see also* count regression
 models
- P**
panel data 9
parallel regression assumption *see also*
 ordinal regression models
percentage change coefficients 179,
 184
perfect prediction ... 197, 319, 320, 397
pformat option 321
plotting *see also* graphs
poisson command 488
Poisson distribution *see also*
 count regression models
polynomial terms 90, 146, 241
 marginal effects 259
postestimation commands
 estimation sample 98
posting estimates *see also* predictions,
 posting
posting predictions *see also* predictions,
 posting
pr* commands 12
- predict** command 138, 206
binary regression model 206
count regression models
 hurdle regression model 531
 Poisson regression model....501
 zero-truncated models 524
default predictions 139
multinomial logit model 412
ordinal regression model 339
predict() option *see also* **margins**
 command, options
predicted probabilities *see also*
 mgen command; **mtable**
 command; **mchange** command;
 predictions
predictions 137
at specified values 139–162
average prediction 177
by group 150
distribution of predictions 207,
 340, 414
each observation 138
global means 273, 429
ideal types 270–280, 282, 351
 comparing with tests...274, 275
 local means 273, 283
local means 273, 282, 283, 357,
 429
graphing 303
 over() option 430
multiple predictions 146
nondefault 153
observed and average predicted
 probabilities 501
plotting ... 171, 173, 286–308, 344,
 359, 432, 500, 543
interaction and power terms....
 301
multiple outcomes 175
multiple predictions 175,
 293–297
posting 165
subsamples.....429
tables 155, 280–284, 355, 423

- p**
 predictions, *continued*
 testing 165
 using margins 141
 predicts perfectly see perfect prediction
 primary sampling unit 100
 PRM see count regression models,
 Poisson regression
 probability model 192, 314
probit command 192
 probit model
 binary see binary regression models
 nominal see multinomial probit model
 ordered see ordinal regression models
profile.do file 27
 proportional-odds assumption see
 ordinal regression models
 proportional-odds model 309
 pseudo- R^2 see measures of fit
putexcel command 114
pwcompare command 231
pwd command 29
pweight modifier 99
- Q**
 quasiseparation .. see perfect prediction
- R**
r-returns 202
 R^2 see measures of fit
 count 127
 Cox–Snell 126
 Cragg and Uhler’s 127
 Efron’s 127
 maximum likelihood 126
 McFadden’s 126
 McKelvey and Zavoina’s 127
 Nagelkerke 127
 Tjur’s coefficient of discrimination 127
 random numbers 411
 random utility model 465
- rank-ordered logit model 475
 ties 476
recode command 55
 reference category see multinomial logit model, base outcome
 regression models, overview 10
 relative-risk ratios 391, 435
replace command 54
 replication 40
 research diary 40
reshape command 456
 residuals 209
 robust standard errors 103, 512
 ROLM see rank-ordered logit model
rologit command 475
rowmiss command 95
- S**
save command 32
saveold command 33
 scalar measures of fit .. see measures of fit
scobit command 225
search command 28
 second differences .. see marginal effects
 selecting observations see data management
 selecting variables see data management, variable
seqlogit command 380, 381
 sequential logit model 378–382
set logtype command 31
set scheme command 68
set scrollbufsize command 26
set seed command 411
sformat option 321
 SLM .. see stereotype logistic regression model
slogit command 371, 448
 SMCL... see Stata Markup and Control Language
 SORM see stereotype logistic model
 specification searches 398
spex command 17

- SPost
 - citing xxii
 - support 18
- SPost commands
 - brant** 330
 - countfit** 551
 - fitstat** 120
 - leastlikely** 217
 - listcoef** 179, 336, 492, 514
 - mchange** 166, 246, 341, 416, 497
 - mchangeplot** 346, 417
 - mgen** 173, 359, 485, 500, 543
 - mlincom** 165, 275, 354, 427
 - mlistat** 148, 288, 426
 - mlogitplot** 439
 - mlogtest** 398, 403, 408
 - mtable** 497, 533, 541
- SPost13
 - spost13_ado** package 11, 14
 - installing 13, 14
 - uninstalling 17
 - spost13_do** package 17, 36
 - installing 17
- SPost9 11
 - spost9_ado** package 11
 - uninstalling 14
 - spost9_legacy** package 11
- standardized coefficients 179, 236, 332
 - fully standardized 182
 - odds ratios 435
 - x*-standardized 180
 - y*-standardized, *y**-standardized 181
- Stata
 - abbreviating commands 27
 - ado path 43
 - command syntax 41–46
 - file types 30
 - forum 29
 - getting help 27–29
 - interface 23
 - introduction 23, 73–80
 - Markup and Control Language 31, 32
 - NetCourses 29
- Stata, *continued*
 - PDF documentation 28
 - short courses 29
 - Statalist 29
 - tutorial 73–80
 - updating 12
 - versions 33, 39
 - windows 23–25
 - working directory 29
- Stat/Transfer 33
- stcox** command 476
- stereotype logistic regression model ...
 - 370, 445
 - higher dimensional 453
 - identification 447
 - interpretation 452
 - odds ratios 450
 - ordinality 452
- strata 100
- suest** command 529
- summarize** command 43, 47
- survival analysis 8
- svy** command
 - vce(cluster clustvar)** option.... 100
- svy estimation
 - output 107
- svyset** command 101
- symbolic names see factor-variable notation
- syntax
 - brant** 330
 - countfit** 551
 - estimates store** 108
 - estimates table** 112
 - estimation commands 86
 - fitstat** 121
 - leastlikely** 217
 - listcoef** 179
 - log** 30
 - logit** 192
 - lrtest** 118
 - mlogit** 390
 - mlogtest** 398
 - nbreg** 509

- syntax, *continued*
- ologit** 314
 - oprobit** 314
 - poisson** 488
 - predict** 138, 206, 339
 - probit** 192
 - slogit** 448
 - Stata 41–46
 - tnbreg** 521
 - tpoisson** 521
 - zinb** 538
 - zip** 538
- T**
- tab1** command 49
 - tables 160
 - tables of estimates 111
 - tabulate** command 48, 87
 - test** command 115, 116, 201, 203, 321, 401
 - accumulate** option 118
 - combining alternatives 404
 - factor-variable notation 323
 - test types
 - combining categories 403
 - Hosmer–Lemeshow statistic 223
 - ideal types 274, 275, 354
 - independence of irrelevant alternatives 407
 - marginal effects 169, 244, 348
 - multiple coefficients 203, 322
 - overdispersion 511, 547
 - parallel regression assumption 328
 - predictions 166
 - second differences 285, 426
 - single coefficients 200, 321
 - variables
 - all 123
 - multinomial logit model 399
 - Vuong test 548
 - testing 114
 - binary regression model .. 200–205
 - independence of irrelevant alternatives 408
- testing, *continued*
- likelihood-ratio 116, 118, 202, 204
 - invalid test 120
 - multinomial logit model .. 398–406
 - one-tailed versus two-tailed 115
 - ordinal regression models 320–324
 - Vuong test 548
 - Wald and likelihood-ratio tests
 - compared 205
 - Wald test 115
 - testparm** command 117, 204, 323
 - thresholds see cutpoints
 - tnbreg** command 521
 - tpoisson** command 521
 - trace** command 102
 - translate** command 32
 - truncated count model see
 - count regression models, zero-truncated models
 - tutorial 73–80
 - twoway area** command 363
 - twoway** command 63
 - overlaying multiple plots 293
 - twoway connected** command 361
 - twoway rarea** command 292
 - twoway scatter** command 66
- U**
- underdispersion ... see count regression models
 - update** command 18
 - use** command 32
- V**
- value labels see data management, variable
 - variable labels .. see data management, variable
 - variables see data management
 - vce()** option 100, 103
 - verinst** command 18
 - version** command 39

v
`vsquish` option 103
Vuong test 548

W

Wald test see testing, Wald test
weights 99, 100
workflow for data analysis 40–41
working directory 29

Z

zero-inflated negative binomial
model see count regression
models, zero-inflated models
zero-inflated Poisson model see
count regression models, zero-
inflated models
zero-truncated negative binomial
model see count regression
models, zero-truncated models
zero-truncated Poisson model see
count regression models, zero-
truncated models
`ZINB` see count regression models,
zero-inflated models
`zinb` command 538
`ZIP` see count regression models,
zero-inflated models
`zip` command 538
`ZTNB` see count regression models,
zero-truncated models
`ZTP` see count regression models,
zero-truncated models