Subject index

A

AIC 56–58, 145, 148, 149
algorithm
  IRLS 44
    gamma 123
    Gaussian 101
    Gaussian (reduced) 102
    geometric 261
    inverse Gaussian 139
    log-geometric 261
    log-negative binomial 252
    negative binomial 251
    nonbinomial 101
    Poisson 225
  ML 44, 106
    log-inverse Gaussian 142
    log-negative binomial . . 253, 254
    log-normal 106
ancillary . . . 4, 21, 30, 43, 102, 121, 209, 241, 260, 396, 421
Atkinson's R 169

B

Bernoulli
  deviance 158
  log likelihood 158
  model 157–158
  probability function 157
BHHH 35
BIC 58–59, 145, 148, 149
binary data 154
binomial
  data 62
  deviance 157
  log likelihood 156
  model 154–157
`binsq` command 376
bootstrap 42–43, 49
Box–Cox transformation 50–51
`brant` command 335

C

canonical link 22
canonical parameter 13, 48
censored count response model . . . 297–310
censored data 12, 62, 122, 234
`clogit` command 389
`cloglog` command 420
cluster data 383–401
conditional logistic regression models 349–351
confusion matrix 164
continuation ratio 339–344
Cook's distance 49
count data regression models 223, 267–270
criterion measure 56–59
cutpoint 324

D

data
  binomial 62
  censored 12, 62, 122, 234
  continuous 121
  ordinal 62
  proportional-response 153
  truncated 12
dataset
  `auto` 329
  `azdrg112` 295, 307
  `cancer` 129, 234
  `claims` 124, 127, 128, 148
  `heart` 348

dataset, *continued*
`heart01` 160, 183, 210
`medpar` 142, 289
`medparc` 299
`warsaw` 169, 184, 190
deviance 48–49
diagnostics 49–50
discrete change, average 68

E
effect, marginal 64
EIM 105
elasticity 70
error sum of squares 102
`estat` command 56
exploding logit 389
exponential regression 129, 133, 135
exposure 227

F
finite mixture models 306–310
`fitstat` command 56
fixed effects 386–389
conditional 387–389
unconditional 386–387

G
GAM 381
gamma 121–136
density function 122
deviance 122
distribution 121
heterogeneity 245
model 122–124
regression 133–136
Gaussian 97–119
IRLS derivation 98
ML derivation 98–100
probability density function 98
OLS 107–109
GEE 215, 395–398
generalized Poisson regression model 293–295
GENSTAT macro 247
geometric
distribution 242
family 260–264
Gibbs sampling 394–395
`gllamm` command 399
`glm` command 405–422
`gnbreg` command 289, 290
`gologit2` command 321, 322, 335
goodness of fit 163–166

H
hat diagonals 49
hazard rate 235
health ratio 195
Hessian 34–35
heterogeneity 245
heterogeneous negative binomial model 289–292
Hosmer–Lemeshow 165
hurdle model 280–289
hypergeometric ${}_2F_1()$ function 54

I
ICD code 142
identity link 98, 104, 107
identity-gamma model 132–133
IIA 351–354
incidence-rate ratio . . 239, 255, 257, 264
individual data 383–384
interactions 126, 128
`invcloglog()` function 320, 321
inverse Gaussian model 137–145
IRLS algorithm 139
log link 142
`invlogit() function` 319
IRLS algorithm 44, 100–103

J
jackknife 40–42, 49

K
k-system 247

L
Lagrange multiplier 233

latent variable models 393
leaf blotch data 372
leverage 49
`lgamma` command 131
likelihood-ratio test 126
link
  identity 98, 104
  log 104
  power 147–150
  reciprocal 123–128
log link 104
log-gamma model 128–132
`logistic` command 164
logistic regression 160–163
logistic regression models 348–349
`logit` command 420
log-normal 104–105
LOS 142, 223, 228
`lrtest` command 17
`lstand` command 168

M

marginal effect 64
measurement error 398
mixed models 398
mixture distribution 244
`mlogit` command 389
model
  censored count response . . 297–310
  conditional logistic regression 349–351
  count data regression 223, 267–270
  finite mixture 306–310
  generalized Poisson regression 293–295
  heterogeneous negative binomial 289–292
  hurdle 280–289
  identity-gamma 132–133
  inverse Gaussian 137–145
  latent variable 393
  log-gamma 128–132
  logistic regression 348–349
  multinomial logit 346–361
model, *continued*
  multinomial probit 361–368
  negbin(p) 284–289
  ordered response . . . . . *see* ordered response
  Poisson inverse Gaussian . . 295–297
  zero-inflated generalized negative binomial 278
  zero-inflated generalized Poisson 278–279
  zero-inflated negative binomial 273–277
  zero-inflated Poisson 273–277
  zero-truncated negative binomial 270–273
  zero-truncated Poisson 227, 270–273
modified sandwich 36–37
modified unbiased sandwich 38
`mprobit` command 366
MSE 102
multinomial logit models 346–361
multinomial probit models 361–368

N

NB-1 243–251
NB-2 245
`nbreg` command 243, 245, 251, 420
negative binomial 241–265
  canonical link 249–251
  zero-truncated 257–258
negative binomial(P) model . . . 284–289
`newey` command 420
Newton–Raphson algorithm 44
normal 97–119
`normal()` function 320
`normalden()` function 320

O

`ocloglog` command 321
`ocratio` command 339
odds ratios 162–163, 167–168, 193
offset 17
`oglm` command 324
OIM 105–106, 123

`ologit` command 321, 324
OLS 107–109
OPG 35
`oprobit` command 321
ordered response 313–344
  cauchit 321
  clog-log 320
  generalized ordered logit . . 322–323
  log-log 321
  ordered logit 319
  ordered probit 320
ordinal data 62
overdispersion 49–50, 227, 232
  constant 243–245
  test 50, 232
  variable 245–251

P

panel data 383–401
parallel-lines assumption 319
parameter
  ancillary 102
  canonical 13, 48
partial correlation 169
Plackett–Luce 389
Poisson 223–239
  inverse Gaussian response model 295–297
  zero-inflated . . . . . *see* zero-inflated Poisson models
  zero-inflated generalized . . . . . *see* zero-inflated generalized Poisson models
  zero-truncated . . *see* zero-truncated Poisson models
  zero-truncated generalized . . . . . *see* zero-truncated generalized Poisson models
`poisson` command 226, 420
pooled estimator 384–385
power link 147–150
  relationships 148
`predict` command 125, 412–414
`probit` command 366, 420
proportional-odds assumption 318, 322, 326
proportional-response data 153
`prvalue` command 368

Q

quasideviance 149, 376
quasilikelihood 371–372
`qvf` command 398

R

R^2 59–64
  McFadden's measure 327
  percentage variance explained . . 59
  pseudo
    adjusted count measure 63
    Ben-Akiva and Lerman's measure 61
    Cameron and Windmeijer's measure 64
    count measure 63
    Cragg and Uhler's measure . . 62–63
    Efron's measure 61
    McFadden's measure 61–62
    McKelvey and Zavoina's measure 62
    transformation of likelihood ratio 62
    Veall and Zimmermann's measure 63
  ratio of variances 60
  squared correlation 60
  transformation of F-test 60
  transformation of likelihood ratio 60
random effects 215, 390
random utility 361
`rcal` command 398
reciprocal link 123–128
`regress` command 420
regression calibration 398
relative-risk ratio 354

residual 51–55
adjusted 52
adjusted deviance 54–55
Anscombe 52, 54–55, 126, 184, 190, 256, 414, 432
deviance 52, 54–55
likelihood 55
modified 52
name 52
partial 53
Pearson 52–55, 374
response 53
score 55
standardized 52
studentized 52
working 53
risk difference 193
risk ratio 195
`rndivgx` command 140
`rologit` command 389
RSS 102

S
sandwich 35–36
saturated model 99
scaling 232
`simex` command 398
simulation extrapolation 398
SPost 322
`streg` command 133, 420

T
test
likelihood-ratio 126
Wald 126
`tnbreg` command 258
`tpoisson` command 258
trials, Bernoulli 153, 245, 248, 421
truncated data 12

U
unbiased sandwich 37–38
underdispersion 292
unordered response 345–368

V
variance
bootstrap 42, 214
grouped bootstrap 43, 385
Hessian 34–35
jackknife 40, 214
modified sandwich 36–37, 385
modified unbiased sandwich 38
Newey–West 214
one-step jackknife 41
OPG 35
sandwich 35–36, 214
unbiased sandwich 37–38
usual bootstrap 43
usual jackknife 40–41
variable jackknife 42, 385
weighted jackknife 41
weighted sandwich 39–40

W
Wald test 126
weighted sandwich 39–40
Anderson 40
Gallant 39
Newey–West 39
Tukey–Hanning 40
with zeros Poisson 274

X
`xtmixed` command 398

Z
zero-inflated generalized negative binomial models 278
zero-inflated generalized Poisson models 278–279
zero-inflated negative binomial models 273–277
zero-inflated Poisson models . . . 273–277
zero-truncated negative binomial models 270–273
zero-truncated Poisson models 227, 270–273