

Subject index

Symbols

- & (and operator) 65, 167
| (or operator) 65, 167

A

- ac** command 155
added-variable plot 119–121
additive seasonal 174
adjusted R-squared see \bar{R}^2
ado-file 289, 307
adopath command 307
adotype command 289
adoupdate command 3
Akaike information criterion (AIC) 79, 87
analysis of covariance 168–174
analysis of variance see ANOVA
analytical weight 148
ANOVA
 F statistic 77
 one-way 162
 table 77
append command 56, 63
AR(1) process 155
ARCH see autoregressive conditional heteroskedasticity
areg command 222
ASCII files 277–286
assert command 64–67, 281
attenuation 217, 260, 263, 264
audit trail 63
autocode() function 24
autocorrelation see serial correlation
autoregressive conditional
 heteroskedasticity 144
auxiliary regression 145, 156

- average marginal effects 251
avplot command 119–121

B

- _b** [] vector 82
balanced panel see unbalanced panel
bandpass filter 178
bandwidth 199
Bartlett kernel 140
Baxter–King filter 178
Bayesian information criterion (BIC) 79, 87
benchmarking 175
between estimator 226–227
binary variable see indicator variable
binomial logit 253–254
binomial probit 251–253
 with selection 272
biprobit command 272
bivariate probit model 271–275
bking command 178
blogit command 253
bom() function 32
bomd() function 32
Boolean condition 14, 32
Boolean variable see indicator variable
Box–Pierce *Q* test 156
bprobit command 253
brackets 24
Breusch–Godfrey test 156
Breusch–Pagan test
 for heteroskedasticity 145
 for random effects 229
 for seemingly unrelated regression 238

built-in commands 301
 business-daily data 44
by prefix 15–17, 43
 byable 30, 310
byte data type 83

C

C statistic 201
 calendar variable 304
 canonical correlations 208
 cardinal measurements 161
 casewise deletion 25, 83
 censoring 262–266
 centered indicators 164, 225
 Chow predictive test 184
 Chow test 183
cloglog command 250
 cluster estimator of the VCE 138–139
cnsreg command 96–97
 Cobb–Douglas production function 80
 Cochrane–Orcutt estimator 159
codebook command 281
 codebooks 281
coldiag2 command 86
collapse command 36, 46–48
 collinearity 84

- diagnostics 86

 comma-delimited files 279
 command syntax 39–41
 competing models see nonnested hypotheses
compress command 287
cond() function 22
 condition number 86
 consistency 74
constraint command 96–97, 238
 contemporaneous correlation 236
 continuity see piecewise continuous functions
corr() function 32
correlate command 25, 304
corrgram command 155
count() function 31
 Cox–Pesaran–Deaton test 101
 cross-sectional data 43–44

csv files 279
cut() function 91

D

D 45
 data dictionary 283
 data mining 122
 data validation 63
 date formats 44
date() function 28, 49
 Davidson–MacKinnon *J* test 100
.dct file 285
decode command 27
 delimiters 278
 demand system 241
describe command 301
destring command 26
 detrending 177
dfbeta command 130
 DFBETA statistic 130–132
 DFITS statistic 128–130
dhms() function 31
 difference operator see **D**.
 difference-in-Sargan statistic 201
 differentiability 181
 do-file 62–63, 289
 Do-file Editor 2
adoedit command 290
dofm() function 175
dofq() function 175
 double-log model 80
DPD see dynamic panel-data models
dprobit command 251
drop command 20
 dummy variable .. see indicator variable
duplicates command 58
 Durbin’s *h* test 157
 Durbin–Watson test 156
 Durbin–Wu–Hausman tests for endogeneity 211–214
 dynamic panel-data models 232–236

E

e(b) matrix 82, 84
e(sample) saved result 305

- e**(sample) vector 83
e(V) matrix 82
e-class 82–84, 301–307
 efficiency 74
egen command 25, 30–33, 313
egenmore package 31, 53
 eigenvalue 86
elap() function 32
elap2() function 32
 elasticity 80, 107–111
 embedded spaces 279
encode command 26–27
 endogeneity 132, 185
eom() function 32
eomd() function 32
epsffloat() function 30
 equality of variances see **robvar**
ereturn list command .. 82, 301–307
 errors-in-variables 217–218
estadd command 89
estat bgodfrey command....156–158
estat durbinalt command 157
estat dwstat command.....157
estat hettest command....145–147
estat ic command 79
estat imtest command.....146
estat ovtest command 122–124,
 307
estat summarize command.....83–84
estat vce command 84
estat vif command 85
estimates command..87–89, 212, 230,
 307
 estimation commands 301
estout command 88–90
ewma() function 32
 exact identification 191
 extended macro functions 293–294
- F**
- F** 45
 feasible efficient two-step generalized
 method of moments 196
 feasible generalized least squares..142–
 143, 147–149, 151–154, 238
- FEGMM** see
 feasible efficient two-step gen-
 eralized methods of moments
- FGLS** see feasible generalized least
 squares
- filter()** function 32, 178
 financial ratios 149
findfile command 289, 301
 first-order Markov process ... see AR(1)
 process
- fixed effect 220
 fixed format 278–286
foreach command .. 2, 37–38, 295–299
 forecast confidence interval see
 standard error of prediction
- forvalues** command 2, 37–38, 175,
 295–299
- fractional dates 31
 free format 278–280
 full column rank 75
 functional form misspecification....122
- G**
- gaps in time series 44, 50
GARCH .. see generalized autoregressive
 conditional heteroskedasticity
- general-to-specific approach.....121
 generalized autoregressive conditional
 heteroskedasticity 144
 generalized least-squares estimator
 142, 237
 with random effects 228
 generalized linear regression model
 134
- generalized method of moments...194–
 214
- generate** command 10
global command 293
glogit command 253
gmean() function 32
GMM see generalized method of
 moments
- Goldfeld–Quandt test for heteroskedas-
 ticity 146
- goodness of fit 77, 256

gprobit command 253
graph matrix command 117
 graphics 23, 48
 grid search 159
group() function 29
 grouped data 152–154
 grouped logit 253–254
 groupwise heteroskedasticity 149–152,
 173
gsort command 10–11, 127

H

HAC standard errors
 ...see heteroskedasticity and
 autocorrelation consistent
 Hansen *J* statistic 198
 hat matrix 126
hausman command 212, 230
 Hausman test 212
 for random effects 230
 Heckit model 266, 268
heckman command 268–271
 Heckman two-step model see
 Heckman model
heckprob command 273–275
 heteroskedasticity and autocorrelation
 consistent 140
 heteroskedasticity in grouped data
 ...152–154
 Hildreth–Lu estimator 159
hmean() function 32
hmm() function 32
hmss() function 32
hms() function 31
 Hodrick–Prescott filter 178
 homogeneous relationship 81
 homoskedasticity 124
hprescott command 178
 HTML 89

I

I(1) process ... see nonstationary series
 identification problem 186
if qualifier 11–17
 implied decimal 286

IMR see inverse Mills ratio
in qualifier 11–17
 incidental truncation 266–271
 independently distributed disturbances
 ...154
 indicator variables 13–15, 161–184
infile command 21–22, 62, 278–280,
 285
infix command 283
 influential data 126
inlist() function 29
inrange() function 29
insheet command 21–22, 280–281
 instrument redundancy 208
 instrumental-variables estimator 188
int() function 29
 integer division 29
 integer variables 26
 interaction effects 167
 interaction terms 125–126
 intraday values 31
 inverse Mills ratio 260
invttail() function 105
iqr() function 31
ivendog command 212
ivreg command 189–190
ivreg2 command 141, 194–214
ivreset command 123

J

joinby command 58
 joint test 98

K

keep command 20
 kernel estimator 199
 knot points 181
 Kronecker product 228, 237
kurt() function 31

L

L 45
label command 17–19
 lag operator see L

- Lagrange multiplier test 157
 for groupwise heteroskedasticity ..
 222
- latent variable 132, 248–250
- LATEX output 89
- lead operator see F.
- least-squares dummy variable model...
 221
- left-censoring see censoring
- leverage 126
- likelihood function 306
- likelihood-ratio test 256
- Likert scale 161
- limited dependent variables ... 247–275
- lincom** command 94–96, 255
- linear combination of coefficients.... 96
- linear filter ..see **filter()** function, 53
- linear probability model 248
- linear restrictions 96
- linear splines 181
- Ljung–Box *Q* test 156
- local** command 36, 290–294
- logistic** command 253
- logit** command 250
- log-linear model 80
- long-format data 55–58
- long model 116
- longitudinal data see panel data
- loop constructs 295–299
- LSDV see least-squares dummy
 variable model
- lvr2plot** command 126
- M**
- ma()** function 32
- Macintosh spreadsheet dates 281
- macro 36, 290–294
- macro** command 2
- macro evaluation 291
- macro list functions 294
- mad()** function 31
- makematrix** command 91
- many-to-many merge 58
- margeff** command 251, 254
- marginal effects 107–111
- marksample** command 309
- mat2txt** command 301
- Mata** 299, 313–319
- mata mosave** command 317
- mata:** command 315
- match-merge 57
- matrix accum** command 300
- matrix colnames** command 307
- matrix colnames** commands 301
- matrix language 299–301
- matrix list** command 84, 300
- matrix rownames** command .. 301, 307
- matrix statement** 300
- max()** function 31
- maxbyte()** function 29
- maxdouble()** function 30
- maxfloat()** function 30
- maximization likelihood optimization..
 256
- maximum-likelihood random-effects es-
 timator 229
- maxint()** function 29
- maxlong()** function 29
- mdev()** function 31
- mdy()** function 28, 49
- mean** command 162–163
- mean()** function 31
- measurement error 132, 216–218
- median()** function 31
- merge** command 57–58, 63
- _merge** variable 57
- mfx** command... 107–111, 251–252, 254
- min()** function 31
- missing values 14
- mkmat** command 300
- mkspline** command 181
- mod()** function 29
- mode()** function 31
- moment conditions 195
- month()** function 175
- moving autocorrelations 54
- moving-window correlation 54
- moving-window regressions ... 242–245
- moving-window statistics 53
- multiplicative seasonal 174

mutually exclusive and exhaustive .. 163
mvcorr command 54
mvdecode command 25
mvencode command 25
mvsumm command 53–54

N

nbreg command 247
nested loop 297
NetCourse 289, 313
newey command 140–141
Newey–West estimates 199
Newey–West estimator 139–141
nlcom command 99–100, 255
nnest command 101
nonnested hypothesis 100
nonstationary series 155
not seasonally adjusted 174
notes command 19–20
NSA see not seasonally adjusted
null model 78, 306
numeric variables 26–27

O

ODBC see Open Data Base Connectivity
odbc 287
odds ratio 253
ologit command 257
omitted-variables bias 216
one-to-many merge 57
one-to-one merge 58
one-way random effects 227–230
one-way ANOVA 162
Open Data Base Connectivity 287
oprobit command 257
options 309
order condition 191
ordered logit 256
ordered measurements 161
ordered probit 256
ordinal measurements 161
ordinal variables 256
orthogonality conditions 195
outer join 58

outlier 126
outshseet 21
outtable command 91
outtable command 301
overfitting 121
overid command 191
overidentification 191
overlapping subsamples 53

P

pac command 156
Pagan–Hall test for heteroskedasticity 205
pairwise correlation matrix 91
panel data 46
panel variable 304
partial R^2 test 207
partial autocorrelation function 156
partial observability 272
partial R-squared 85
partial regression 130
pc() function 31
pctile() function 31
per capita regressions 149
perfect prediction 256
Phillips curve 199
piecewise continuous functions 181
piecewise functions 180
piecewise linear see piecewise continuous functions
plugin 289
poisson command 247
pooled cross-section time series .. 45–46
pooled data 56
pooled ordinary least squares 219
portfolio shares 241
prais command 159–160
Prais–Winsten estimator 159
predict command .. 102–107, 175, 251
predicted values 102–107
preserve command 48
probit command 250
program command 308
proportionality see homogeneous relationship

proxy variable 216
pseudo R^2 256
`psmatch2` command 313
publication-quality output 90
 p -value 77
`pwcorr` 25

Q

Q test 156
qualitative factors 161
`quarter()` function 175
quasidemeaning transformation 228
quasidifferencing 159

R

R^2 78
 \bar{R}^2 78–79
`rall()` function 32
random effect 220
rank condition 191
`rank()` function 31
`rany()` function 32
r-class 301–307
`rcount()` function 32
`real()` function 26
`recode` command 23, 298
`recode()` function 23
`record()` function 32, 53
record value to date see `record()`
function
regime dummies 183
regressand 71
regressors 71
`rename` command 21, 56, 61
`renpfix` command 21
`renvars` command 21, 61
`replace` command 10
`RESET` 122–124
`reshape` command 56, 58–62
residuals 102–107
`return` command 308
`return list` command 301–307
return values 39–41
Review window 2
right censoring see censoring

`rndint()` function 32
robust estimator of the VCE 136–138
`robust` option 136
`robvar` command 150–151
rolling prefix 244–245
`rollreg` command 242
root MSE 73
`rowmax()` function 31
`rowmean()` function 31
`rowmin()` function 31
`rowmiss()` function 31
`rownonmiss()` function 31
`rowsd()` function 31
`rowtotal()` function 31
rowwise functions 30, 32
`rvfplot` command 124
`rvpplot` command 124

S

`S` 45
SA see seasonally adjusted
SAAR see seasonally adjusted at an
annual rate
sandwich estimator see robust
standard errors
Sargan test 191
`save` command 21
`scalar` command 294–295
scalars 294–295
scale heteroskedasticity 144
Schwarz information criterion see
Bayesian information criterion
(BIC)
`sd()` function 31
`sdtest` command 150
`_se[]` vector 82
seasonal adjustment 174–178
seasonal difference operator see `S`.
seasonal dummies 175
seasonally adjusted 174
at an annual rate 174
seemingly unrelated regression 220,
236–242
selection model 266–271
`semmean()` function 32

- semielasticity 80, 107–111, 169
 serial correlation 154–160
 Shea partial- R^2 test 208
 short model 116
`skew()` function 31
`sort` command 9–11
 sort order 303
 space delimited files 278
 specification analysis 71
 specification error 115–132
 specification search 122
 spells 51
 spline functions 181
 spreadsheet data 281
 SQL databases 287
 SSC archive 3
`ssc` command 3, 30
`st_addvar()` function 316
`st_data()` function 315
`st_store()` function 316
`st_view()` function 315
 standard error
 of forecast 107
 of prediction 105
 of regression see root MSE
 standardized values see `std()`
 stars, for significance 87
 Stat/Transfer 25, 286
 Statalist 289
 statistical discrimination 171
 statistical independence 167
`statsby` command 242
`statsmat` command 90, 301
`std()` function 31
 storage optimization 287
`string()` function 27
 string variables 26–27
 structural breakpoints 179
 structural breaks 184
 structural change 183–184
 structural stability 179
 stub 60
 studentized residual 128
`sum()` function 30
`summarize` command 303–304
 SUR see seemingly unrelated regression
`sureg` command 238
 survivorship bias 47
`syntax` command 308
- T**
- tab-delimited files 279–281
`tabout` command 91
`tabstat` command 90, 301
`tabulate` command 26–27, 163
 tabulating results 87
 temporary variable 309
`tempvar` 309
`test` command 94–99, 255
 test of overidentifying restrictions 191
`testnl` command 99–100, 255
`testparm` command 94
 text editors 278
 text files 277–286
`texteditors` command 278
 time arithmetic 31
 time-series calendar 44
 time-series data 44
 time-series operators 2, 45, 310
`tin()` function 44
`tobit` command 263
 tobit model 263
`todate` 28
`tostring` command 27
`total()` function 31
 trend 177
 truncation 259–262
`tsfill` command 47, 50
`tsline` command 243
`tsmktim` command 50, 318
`tsset` command 27, 32, 44, 47, 304
`tssmooth ma` command 53
`tssmooth shwinters` command 178
`tsspell` command 50–52
`ttest` command 304
 two-limit tobit see tobit model
 two-stage least squares (2SLS) 188–189
 two-way fixed effects 224–226

U

- unbalanced panel 46, 50
underfitting 121
underidentified 191
unit root test 155
update query 3
use command 7–8

V

- var()** function 32
variance decomposition matrix 86
variance inflation factor 85
varlist 20
version command 308
VIF see variance inflation factor
volatility clustering 144

W

- Wald test 92
weak instruments 191, 211
weighted least squares 148
weighting matrix 195
which command 289
while command 295
white noise 156
White standard errors see robust
standard errors
White’s test for heteroskedasticity 146
whitetst command 145–147
wide-format data 55, 238
wildcards 31
Windmeijer correction for dynamic
panel-data models 234
witch command 289
within estimator 221
wntestq command 156–158
word processors 278

X

- xi command** 163
xpose command 62
xt commands 49
xtabond command 234
xtabond2 command 234, 313
xtdes command 50–52

- xthtaylor command** 232
xtivreg command 232
xtreg, be command 226
xtreg, fe command 222–224
xtreg, re command 229
xtscd command 222
xttest3 command 222

Z

- zero-conditional mean 72, 185